

---

# Water Tanks

---



## Standard water tanks



Ordering code	Description	Measurements	Filling hole
WTA10	Water tank 10 Liter, incl. tap, flow-indicator and coupling	280x170x280	DIN96
WTA16	Water tank 16 Liter, incl. tap, flow indicator and coupling	280x170x415	DIN96
WTA30	Water tank 28 Liter, incl. tap, flow indicator and coupling	290x255x465	DIN96

\*For other/customized solutions, please contact us











One-stop shop



On-time delivery



Independent technical advice

<b>Spare parts WTA</b>		
<b>Picture</b>	<b>Ordering code</b>	<b>Description</b>
	FRSCH10	PVC hose 10 x 14mm - coil 50 m - per meter • 3 meter included in standard set
	KV10	Quick coupling female KV10 - water supply
	09FLI1B	Flow indicator NW 10
	08KLE1B	Hose clamp black NW 10 • Two pieces in standard set • Included in 09FLI1B
	08KLE1	Hose Clamp NW 10 • Two pieces in standard WTA set
	WTA30-EST60-KR	Tap 3/4" for WTA30/60
↑↓ All parts above are included in the set below ↑↓		
	WTA-30-60-PACK	Pack for WTA 30-60 • Prefabricated set
	WTA-TOP-DIN96	Top for water tank - DIN 96 - black

## Standard water tanks with filter



Ordering code	Description	Measurements	Filling hole
WTA10+F	Water tank 10 Liter, incl. tap, flow-indicator with filter and coupling	270x140x350	DIN96
WTA16+F	Water tank 16 Liter, incl. tap, flow indicator with filter and coupling	280x170x415	DIN96
WTA30+F	Water tank 28 Liter, incl. tap, flow indicator with filter and coupling	290x255x465	DIN96

\*For other/customized solutions, please contact us










One-stop shop



On-time delivery



Independent technical advice

Spare parts WTA+F		
Picture	Ordering code	Description
	FRSCH10	PVC hose 10 x 14mm - coil 50 m - per meter • 3 meter included in standard set
	KV10	Quick coupling female KV10 - water supply
	FLFI10	Flow indicator with filter - NW 10 • For WTA+F
	08KLE1	Hose Clamp NW 10 • Four pieces in standard set
	WTA30-EST60-KR	Tap 3/4" for WTA30/60
↑↓ All parts above are included in the set below ↑↓		
	WTA-16F-30F-PACK	Pack for WTA+F
	WTA-TOP-DIN96	Top for water tank - DIN 96 - black

## Water tank 60L with two filling holes











Ordering code	Description	Measurements	Filling hole
WTA60-2*	Water tank 60l, incl. 2 caps, tap and flow indicator	392x350x640	2x DIN61

\*For other/customized solutions, please contact us

\*Also available with filter like the standard tanks: ordering code = WTA60-2+F



<b>Spare parts WTA60-2</b>		
<b>Picture</b>	<b>Ordering code</b>	<b>Description</b>
	FRSCH10	PVC hose 10 x 14mm - coil 50 m - per meter • 3 meter included in standard set
	KV10	Quick coupling female KV10 - water supply
	09FLI1B*	Flow indicator NW 10
	08KLE1B	Hose clamp black NW 10 • Two pieces in standard set • Included in 09FLI1B
	08KLE1	Hose Clamp NW 10 • Two pieces in standard set
	WTA30-EST60-KR	Tap 3/4" for WTA30/60
↑↓ All parts above are included in the set below ↑↓		
	WTA-30-60- PACK*	Pack for WTA 30-60 • Prefabricated set
	WTA-TOP-DIN61	Top for water tank - DIN 61 – black • Two pieces per tank

\*In the execution where flow indicator 09FLI1B is replaced by FLFI10 the pack becomes WTA-16F-30F-PACK (see also standard water tanks with filter).

## Reinforced water tanks



Type 1

Type 2

Ordering code	Description	Measurements	Filling hole
WTA15GV3	Reinforced water tank 15 Liter, incl. tap, flow indicator and coupling	300x340 • Type1	120 mm
WTA30GV3	Reinforced water tank 30 Liter, incl. tap, flow indicator and coupling	330x460 • Type1	120 mm
WTA50GV3	Reinforced water tank 50 Liter, incl. tap, flow indicator and coupling	330x680 • Type1	120 mm
WTA125GV3	Reinforced water tank 125 Liter, incl. tap, flow indicator and coupling	480x840 • Type1	200 mm
WTA200GV3	Reinforced water tank 200 Liter, incl. tap, flow indicator and coupling	880x610x880 • Type2	200 mm

\*Also available in 60L (Type 2), 80L (Type 1), 100L (Type 2), 300L (Type 2),...

\*For other/customized solutions, please contact us











One-stop shop



On-time delivery



Independent technical advice

<b>Spare parts WTA-GV3</b>		
Picture	Ordering code	Description
	FRSCH10	PVC hose 10 x 14mm - coil 50 m - per meter • 3 meter included in standard set
	09KUM1B	Quick coupling female KV10 - water supply
	09FLI1B	Flow indicator NW 10
	08KLE1B	Hose clamp black NW 10 • Three pieces in standard set • Included in 09KUM1B and 09FLI1B
	WTA-KR-NW10	Tap NW 10
↑↓ All parts above are included in the set below ↑↓		
	WTA-GV3-PACK	Pack for WTA-GV3 • Prefabricated set

## Reinforced water tanks with filter



Type 1

Type 2

Ordering code	Description	Measurements	Filling hole
WTA15GV3+F	Reinforced water tank 15 Liter, incl. tap, flow indicator with filter and coupling	300x340 • Type1	120 mm
WTA30GV3+F	Reinforced water tank 30 Liter, incl. tap, flow indicator with filter and coupling	330x460 • Type1	120 mm
WTA50GV3+F	Reinforced water tank 50 Liter, incl. tap, flow indicator with filter and coupling	330x680 • Type1	120 mm
WTA125GV3+F	Reinforced water tank 125 Liter, incl. tap, flow indicator with filter and coupling	480x840 • Type1	200 mm
WTA200GV3+F	Reinforced water tank 200 Liter, incl. tap, flow indicator with filter and coupling	880x610x880 • Type2	200 mm

\*Also available in 60L (Type 2), 80L (Type 1), 100L (Type 2), 300L (Type 2),...

\*For other/customized solutions, please contact us










One-stop shop



On-time delivery



Independent technical advice

Spare parts WTA-GV3+F		
Picture	Ordering code	Description
	FRSCH10	PVC hose 10 x 14mm - coil 50 m - per meter • 3 meter included in standard set
	09KUM1B	Quick coupling female KV10 - water supply
	08KLE1B	Hose clamp black NW 10 • one piece in standard set • Included in 09KUM1B
	FLFI10	Flow indicator with filter - NW 10
	08KLE1	Hose Clamp NW 10 • Two pieces in standard set
	WTA-KR-NW10	Tap NW 10
↑↓ All parts above are included in the set below ↑↓		
	WTA-GV3+F- PACK	Pack for WTA-GV3+F • Prefabricated set

## Water tanks for horizontal use



Ordering code	Description	Measurements	Filling hole
WTA20-TT3	Water tank 20 l - Tap DIN 61, flow-indicator, connection Female	390x290x230	DIN61
WTA30-TT3	Water tank 30 l - Tap DIN 61, flow-indicator, connection Female	375x290x400	DIN61

\*For other/customized solutions, please contact us










One-stop shop



On-time delivery



Independent technical advice

Spare parts WTA-TT		
Picture	Ordering code	Description
	FRSCH10	PVC hose 10 x 14mm - coil 50 m - per meter • 3 meter included in standard set
	KV10	Quick coupling female KV10 - water supply
	09FLI1B	Flow indicator NW 10
	08KLE1B	Hose clamp black NW 10 • Two pieces in standard set • Included in 09FLI1B
	08KLE1	Hose Clamp NW 10 • Two pieces in standard set
	WTA-KR-DIN61	Water tap DIN61
↑↓ All parts above are included in the set below ↑↓		
	WTA-TT-PACK	Pack for WTA-TT • Prefabricated set

## Water tank with float valve



Ordering code	Description	Measurements	Filling hole
WTA60FLOAT	Water tank 60 l, incl. float - complete	392x350x640	2x DIN61

\*For other/customized solutions, please contact us

\*Also available with filter like the standard tanks: ordering code = WTA60FLOAT+F

### Float valve in water supply



<b>Spare parts WTA60FLOAT</b>		
Picture	Ordering code	Description
	FRSCH10	PVC hose 10 x 14mm - coil 50 m - per meter • 3 meter included in standard set
	KV10	Quick coupling female KV10 - water supply
	09FLI1B	Flow indicator NW 10
	08KLE1B	Hose clamp black NW 10 • Two pieces in standard set • Included in 09FLI1B
	08KLE1	Hose Clamp NW 10 • Two pieces in standard set
	WTA30-EST60-KR	Tap 3/4" for WTA30/60
↑↓ All parts above are included in the set below ↑↓		
	WTA-30-60-PACK	Pack for WTA 30-60 • Prefabricated set
*In the execution where flow indicator 09FLI1B is replaced by FLFI10 the pack becomes WTA-16F-30F-PACK (see also standard water tanks with filter).		
	WTA60FLOAT-NIP	Nipple for WTA60FLOAT
	MIKALOR-12/22	Hose clamp RVS DN12-22
	GC-1046	Female coupling Gardena
	FRSCH12.5/17.5	Reinforced PVC hose 12,5 x 17,5 coil 25 m - per meter • 0,5 meter in standard set
	WTA-TOP-DIN61	Top for water tank - DIN 61 – black • Two pieces per tank
	WD-PS-120	Male coupling threaded inside 3/4

## Water tank 1000 liter



Ordering code	Description	Measurements
WTA1000H	Water tank 1000l, tap, flow-ind., coupling (rebottled IBC)	120x100x115

\*For other/customized solutions, please contact us












One-stop shop



On-time delivery



Independent technical advice

<b>Spare parts WTA1000H</b>		
Picture	Ordering code	Description
	FRSCH10	PVC hose 10 x 14mm - coil 50 m - per meter • 5 meter included in standard set
	KV10	Quick coupling female KV10 - water supply
	09FLI1B	Flow indicator NW 10
	08KLE1B	Hose clamp black NW 10 • Two pieces in standard set • Included in 09FLI1B
	08KLE1	Hose Clamp NW 10 • Two pieces in standard set
	WTA-KR-LC-DIN61	For 1000L IBC
↑↓ All parts above are included in the set below ↑↓		
	WTA-1000-PACK	Pack for • Prefabricated set









## Special executions and extra accessoires

### Executions with water gun

All water tanks can be equipped with a water gun.  
Ordering codes becomes then the standard code followed by -L.  
For example: WTA30 becomes WTA30-L

For the executions with water gun, the packs are replaced with the parts below:

Picture	Ordering code	Description
	FRSCH10	PVC hose 10 x 14mm - coil 50 m - per meter • 4 meter included in standard set
	08KLE1	Hose Clamp NW 10 • Two pieces in standard set
	WGU-L*	Water-gun type L • In standard set
+ the water tap depending on the standard execution without watering gun		
	WTA30-EST60-KR	Tap 3/4" for WTA30/60 • For standard water tanks
	WTA-KR-NW10	Tap NW 10 • For reinforced water tanks
	WTA-KR-DIN61	Water tap DIN61 • For horizontal water tanks




\*For other/customized solutions, please contact us

\*Other water guns available on request (see also the folder "Water Guns" on our site)



### Executions with nipple

For all executions with water tap 3/4" the tap can be replaced by a nipple.  
Ordering codes becomes then the standard code followed by -NI.  
For example: WTA30 becomes WTA30-NI

Picture	Ordering code	Description
	WTA30-EST60-KR	Tap 3/4" for WTA30/60
		
	WTA-NIP-10	Nipple 3/4" for WTA30/60



### Executions with other length PVC hose

Executions with another length PVC hose are available on request.  
For example WTA30GV5 with 5 meter PVC hose (instead of the 3m standard hose).


### Customized solutions



For all customized solutions, please contact us.

### Extra accessories

Picture	Ordering code	Description
	WTA-TOP-DIN96-34	Top for water tank - DIN96 w. threaded hole 3/4
	WTA16-30-60PLUG	Plug 3/4" for water tank 16l-30l-60l - Yellow

## Support for water tanks



Ordering codes		
Picture	Ordering code	Description
	WTA30-60SUPP	Support water tank 30 l + 60 l, incl. 4 dowel bolts incl.
	WTA30-60SUPP-FR	Support water tank 30L+60L, dowel bolts not incl.
	WTA-SUPP-BOLT	Dowel bolt for water tank 30L+60L support • 4 pieces included in WTA30-60SUPP